

## A New Volute from the Western Pacific

BY

PHILIPPE BOUCHET

Office de la Recherche Scientifique et Technique d'Outre-Mer, Centre de Nouméa, Nouvelle-Calédonie<sup>1</sup>

(1 Plate)

DURING A CRUISE of the R. V. "Vauban" on the deep continental shelf of New Caledonia, a new gastropod of the family Volutidae has been dredged. A single, live-taken specimen is present but its characteristics are so different from the other known species of the family that a description is presented herein.

*Lyria kuniene* Bouchet, spec. nov.

**Type Material:** Holotype in MNHN<sup>2</sup>

**Type Locality:** 22°49'S, 167°12'E (west of Isle of Pines, southern New Caledonia), in 390-395 m; 10 April, 1978

**Description:** Shell solid, ovate fusiform in outline, composed of 8.5 whorls; the protoconch is bulbous and has 2.5 smooth whorls, thus indicating direct development (Figure 3); the postlarval shell has 6 shouldered whorls with a moderately deep suture. The postlarval sculpture consists of a few distant axial ribs of which there are 9 on the body and penultimate whorls; these ribs are a little more closely spaced on the first 2 postlarval whorls, on which 10 ribs can be counted. Growth lines are very apparent but no spiral sculpture is present. The aperture is rather narrow, semioval, and roughly occupies a little less than  $\frac{2}{3}$  of the shell height. The columella is straight with 4 strong anterior plaits followed by 5 minor ones and a tooth-like projection appearing on the parietal wall below the suture. The siphonal canal is short. The basic color of the shell is a creamy yellow with spiral

chestnut lines present on the axial ribs but not visible in between. The aperture is dirty white.

**Dimensions of the Shell:** height, 64.0 mm; breadth, 25.5 mm; height of the aperture, 39.0 mm; breadth, 11.5 mm.

The animal has not been observed alive. Preserved in alcohol, the foot, snout and tentacles are yellowish with numerous fine, pink to red radiating lines. The sole is a uniform dirty white. Eyes are present.

**Remarks:** Since the monograph by WEAVER & DUPONT (1970), the descriptions of 4 more Indo-West Pacific *Lyria* have appeared:

- *Lyria taiwanica* Lan, 1975, from Taiwan, = *L. kawamurai* Habe, 1975, from Japan (WEAVER, 1977)
- *Lyria mallicki* Ladd, 1975
- *Lyria santoensis* Ladd, 1975, both from the New Hebrides Pleistocene
- *Lyria tulearensis* von Cosel & Blöcher, 1977, from Madagascar, which is apparently a local form or at most a subspecies of *L. delessertiana* (Petit de la Saussaye, 1842)

There are now 5 species of Volutidae known from the waters around New Caledonia:

- Cymbiola deshayesi* (Reeve, 1855)
- Cymbiola rossiniana* (Bernardi, 1859)
- Cymbiolacca thatcheri* (McCoy, 1868)
- Lyria deliciosa* (Montrouzier, 1859)
- Lyria kuniene* Bouchet, 1979

The name *kuniene* is derived from Kunié, the Kanak name for the Isle of Pines.

### Literature Cited

- COSEL, RUDO VON & MANFRED BLOCHER  
1977. Eine neue *Lyria* aus Madagaskar (Prosobranchia: Volutidae).  
Arch. Molluskenk. 107 (4-6): 195-201; 10 text figs.; 1 map  
(4 March 1977)

<sup>1</sup> Permanent address: Muséum national d'Histoire naturelle, 55 rue Buffon, F 75005 Paris

<sup>2</sup> We have been informed that the MNHN does not assign type numbers. Editor.

**HABE, TADASHIGE**

1975. Three new volutid species (Mollusca) from Formosa and the Arafura Sea. *Bull. Natl. Sci. Mus., ser. A (Zool.)* 1 (4): 195-198; 1 pl. (22 December 1975)

**LADD, HARRY S.**

1975. Two Pleistocene volutes from the New Hebrides (Mollusca: Gastropoda). *The Veliger* 18 (2): 134-138; 2 pls.; 1 map (1 October 1975)

**LAN, TSU-CHIAO**

1975. A new species of *Lyria* (Gastropoda: Volutidae) from off north-east of Taiwan. *Bull. Chin. Malacol. Soc.* 2: 103-105; 3 text figs. (November 1975)

**WEAVER, CLIFTON STOKES**

1977. A beautiful new species of volute in the genus *Lyria* from Taiwan. *Hawai. Shell News* 25 (2): 1, 12; 2 figs. (November 1977)

**WEAVER, CLIFTON STOKES & JOHN ELEUTHÈRE DUPONT**

1970. Living volutes. A monograph of the Recent Volutidae of the world. *Delaware Mus. Nat. Hist. Monogr. Ser.* 1: 1-375; color pls. 1-79

